


Plan your staircase!



www.arke.ws

With the configurator you will immediately be able to find the best Kompact for your home.



KOMPACT comprises 12 treads with steel supports and a railing on one side.



The different arrangement of the 12 treads (13 rises) and the choice of going, **KOMPACT 74** from 18 to 22 cm, or **KOMPACT 89** from 22 to 26 cm, allow the creation of 156 different configurations.

The plans which you will find from page 78 to page 81 show the maximum and minimum dimensions for all of the configurations which these staircases can assume **KOMPACT L** at 1/4 of a turn and **KOMPACT U** at 2/4 of a turn.

KOMPACT is adjustable in rise, going and rotation. The **sense of direction** of the staircase can be clockwise or anti-clockwise.

Is there an existing opening?

Locate amongst the 156 plans one which is smaller than the dimensions of the ceiling aperture. Bear in mind that the ceiling aperture must be at least as wide as the staircase minus two treads (*Diagram 1*).



KOMPACT L

Do you still have to make the opening?


Identify amongst the 156 plans the one which is best suited to your stairwell: the ceiling aperture must be at least as wide as the chosen plan minus two treads (*Diagram 1*).








KOMPACT U


DIAGRAM 1

CEILING APERTURE




-  **Rise**
-  **Going**
-  **Clockwise rotation**
-  **Anti-clockwise rotation**
-  **Clear width**

Kompact is adjustable in rise, going and rotation



KOMPACT 74




KOMPACT 74 + RAILING

KOMPACT 74


R = FROM 17 TO 23,5

G = FROM 18 TO 22

W = FROM 70,5 TO 74,5



KOMPACT 89



KOMPACT 89 + RAILING


KOMPACT 89

R = FROM 17 TO 23,5


G = FROM 22 TO 26

W = FROM 86,5 TO 90,5

DIMENSIONS ARE IN CENTIMETER



KOMPACT 74



KOMPACT 89

KOMPACT is composed of 12 treads with 13 rises and a railing on one side. The treads, complete with railing, are **74 cm** or **89 cm** wide.



KOMPACT has two configurations: **L-shaped** with 1/4 of a turn **U-shaped** with 2/4 of a turn KOMPACT is adjustable in rise, going and rotation.

By purchasing one or more supplementary **RISES**, the height of the staircase can reach 373 cm. Supplementary rises consist of structure, tread and railing. To achieve heights inferior to 225 cm, you can assemble a lower number of treads. (Tab.7)

The supplementary **RAILING** protects the second side of the staircase when it is far from the wall. It is a module composed of 5 balusters, handrail and fixings. The **RAILING** increases the dimension of the staircase by 4 cm. In **diagrams 2** and **3** you can count the number of balusters necessary on the second side of the staircase (the balusters are represented by numbers and dots).

Example: if you wish to apply the supplementary **RAILING** only on the left side of the **KOMPACT 74** staircase, as in **diagram 2**, you will need to add up the quantity of balusters: $3 + 4 + 2 = 9$ and therefore order 2 supplementary **RAILING** modules.




DIAGRAM 2 **KOMPACT 74**






DIAGRAM 3 **KOMPACT 89**




The supplementary **BALUSTER** allows the protection of the upper-floor aperture. It is a 120 cm module, composed of 10 balusters, handrail and fixings.



KOMPACT HEIGHTS and supplementary items

TABLE NO.7 The measurements are in cm

KOMPACT STAIRCASE + SUPPLEMENTARY ITEMS




STAIRCASE HEIGHT	N° TREADS	N° RISES	+ N° RISES				+ N° RAILINGS				+ N° BALUSTRADES			
			L74	U74	L89	U89	L74	U74	L89	U89	L74	U74	L89	U89
From 191 to 255	(12 - 2) = 10	(13 - 2) = 11	6	7	7	9	6	8	7	10	6	8	7	10
From 208 to 279	(12 - 1) = 11	(13 - 1) = 12	7	8	8	10	7	8	8	10	7	8	8	10
From 225 to 303	12 KOMPACT	13	1	7	9	10	2	8	9	11	3	8	9	11
From 242 to 327	(12 + 1) = 13	(13 + 1) = 14 +	2	8	9	11	3	8	9	11	3	8	9	11
From 258 to 349	(12 + 2) = 14	(13 + 2) = 15 +	3	8	9	11	3	8	9	11	3	8	9	11
From 275 to 373	(12 + 3) = 15	(13 + 3) = 16 +												

Rise adjustable from 17 to 23.5 cm



Kompact, the colors of the steel and the shades of the wood.



Example:

if you wish to purchase KOMPACT composed of 13 + 3 = 16 rises with the supplementary railing, as in the diagram on the left, you will need the following items:

- 1 KOMPACT staircase
- + 3 Rises
- + 2 Railing

